

ABSTRACT OF THE DISCLOSURE

A composition of material used for making hfMLCIs having a sintering temperature below 1000°. The composition comprises a major component and a minor component, said major component being a general formula: $\text{Ba}_3\text{Co}_{2-x-y}\text{Zn}_x\text{Cu}_y\text{Mn}_x\text{Fe}_{24-z-w}\text{O}_{41}$, wherein $x, z, w, = 0 - 1.0$ and $y = 0 - 0.8$, and said minor component comprising at least one
5 compound selected from the group of Bi_2O_3 , V_2O_5 , PbO , B_2O_3 , LiF and CaF_2 . HfMLCIs made from the composition of the present invention are capable of functioning in the frequency region of 300-800 MHz.

0939916.082701
10/28/91 9166560